An

	Application No.	Applicant(s)
Notice of Allowability	10/768,066	KOIZUMI ET AL.
	Examiner	Art Unit
	THVENT NOUVEN	2022
	TUYEN T. NGUYEN	2832
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	oplication. If not included n will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>response filed 9/22/20</u>	<u>005</u> .	
2. The allowed claim(s) is/are <u>1-6 and 9-12</u> .		
3. ☑ Acknowledgment is made of a claim for foreign priority un a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority doc	cuments have been received in this	national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		•
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) including changes required by the Notice of Draftspers		-948) attached
1) hereto or 2) to Paper No./Mail Date		,
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the 0	Office action of
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the		
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F 	sit of BIOLOGICAL MATERIAL (FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s)	_	
1. Notice of References Cited (PTO-892)		Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0-Paper No./Mail Date 2/26/5.	Paper No./Mail Da 8), 7. 🗹 Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🔀 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
		Trujen Nguyan

Claims 1, 9 and 11 are generic and allowable. Accordingly, the restriction requirement as

to the encompassed species is hereby withdrawn and claims 2 and 4, directed to the species of

other embodiments, are no longer withdrawn from consideration since all of the claims to this

species depend from or otherwise include each of the limitations of an allowed generic claim.

In view of the above noted withdrawal of the restriction requirement as to the linked

species, applicant(s) are advised that if any claim(s) depending from or including all the

limitations of the allowable generic linking claim(s) be presented in a continuation or divisional

application, such claims may be subject to provisional statutory and/or nonstatutory double

patenting rejections over the claims of the instant application. Once a restriction requirement is

withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. See In re Ziegler, 44 F.2d

1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.

The following is an examiner's statement of reasons for allowance:

The prior art of record do not teach or suggest in the claimed combination thereof, a

circuit board assembly comprising:

- a circuit board;

- a module mounted on the circuit board and having an electronic circuit device and a

heat radiator attached to the electronic circuit device; and

- a flat coil element,

wherein said heat radiator has an extending pad protruding from said electronic circuit

device and extending parallel to a surface of said circuit board;

a coil mounting area provided with no pattern wire is formed in a part of said circuit board facing the extending part; and said flat coil element is mounted parallel to said circuit board in a state where a coil part of said flat coil element faces said coil mounting area.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TUYEN T. NGUYEN whose telephone number is 571-272-1996. The examiner can normally be reached on M-F 8:30-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, ELVIN ENAD can be reached on 571-272-1990. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TTN (W

Tuylu Nguylu